## Radar Flushing Unit for Urinal SFERA (Catalano) 10R64F00, 10R64NS, 10R64FNS SLP 99



SLP 99S



SLP 99B

**Installation Drawing** 

#### 1 - water outlet Ø 50 mm 2 - 2 x holes for fitting 3 - water supply G 1/2" 4 - power supply 24 V DC (SLP 99S) or 230 V AC (SLP 99Z) G 5 - 2 x holes for wall plug മ т 4 F

| Dimensions (mm) | Α   | В   | С   | D   | Е  | F   | G  | н   |
|-----------------|-----|-----|-----|-----|----|-----|----|-----|
| SLP 99 - SFERA  | 400 | 260 | 240 | 125 | 30 | 110 | 80 | 210 |

\* for the height of the front edge of the urinal 650 mm above the floor

#### **Characteristics**

- DESIGNED FOR URINAL SFERA (Catalano) 10R6400, 10R64F00, 10R64NS, 10R64FNS
- includes Bluetooth control
- (Sanela Control app available for download) THE URINAL DOES NOT HAVE TO BE SENT FOR ASSEMBLY (THE RADAR SENSOR IS SUPPLIED SEPARATELY)
- SLP 99S 24 V DC, pre-wall mounting (water supply with flexi hoses)

we make water cool

- SLP 99Z 230 V AC, including power supply unit
- SLP 99B 6 V, including housing with 4 pc AA batteries
- economy flushing by 1 liter of water
- whole flushing unit is placed behind the urinal
- system reacts only on the direct use of the urinal (it analyses changes, which are proceeded inside of the urinal, when a liquid is flowing through)
- adjustable flushing time 0,5 15,5 s
- parameter setting and communication with the electronics via the Sanela Control app (Bluetooth) or the SLD 04 remote control (acoustic indication of setting) without dismantling the urinal
- automatic flushing after each 6 hours non-use
- possibility to regulate a water flow by the angle valve

### **Technical Specification**


#### **Operating voltage**


- SLP 99S SLP 99Z • SLP 99B Power input operating by 24 V DC operating by 6 V **Recommended flow pressure** Rate of flow Water inlet Water outlet
- 24 V DC 230 V AC/50 Hz 6 V

8 W 3 W 0,1 - 0,6 MPa 18 l/min (inf. data) male thread G 1/2" inlet fitting with a rubber sealing

Illustrative photo:









SLA 11B



**Radar Urinal Flushing Units** 

# Supply Specification

| SLP 99S | - | Supply No. 21992 | radar flushing unit including Bluetooth module on the mounting rail, electromagnetic valve, |
|---------|---|------------------|---|
| SLP 99Z | - | Supply No. 21994 | connecting hoses, angle valve, inlet fitting with a rubber sealing, siphon, power supply    |
| SLP 99B | - | Supply No. 21996 | (SLP 99Z), 4 pcs. AA alkaline batteries 1,5 V, 2700 mAh with battery case (SLP 99B)         |

## **Recommended Accessories**

| SLZ 01Y<br>SLZ 04Z<br>SLZ 04Z<br>SLZ 04X<br>SLZ 04X<br>SLZ 06<br>SLD 04<br>SLA 11<br>SLA 11A<br>SLA 11B<br>SLA 11C<br>SLR 09<br>SLA 36 |  | Supply No. 05012<br>Supply No. 05011<br>Supply No. 05042<br>Supply No. 05041<br>Supply No. 10049<br>Supply No. 05060<br>Supply No. 07040<br>Supply No. 06110<br>Supply No. 06111<br>Supply No. 06113<br>Supply No. 08090<br>Supply No. 06360 | power supply 24 V DC for operating of max. 5 pcs. of flushing units<br>power supply 24 V DC for operating of max. 9 pcs. of flushing units<br>power supply 24 V DC on DIN rail, for operating of max. 5 pcs. of flushing units<br>power supply 24 V DC on DIN rail, for operating of max. 9 pcs. of flushing units<br>power supply 24 V DC on DIN rail, for operating of max. 15 pcs. of flushing units<br>power supply 24 V DC on DIN rail, for operating of max. 15 pcs. of flushing units<br>power supply 24 V DC for operating of max. 1 pc. of flushing unit<br>remote control for an adjustment of parameters<br>deodorising urinal screen - orange colour, mango scent<br>deodorising urinal screen - red colour, kiwi and grapefruit scent<br>deodorising urinal screen - transparent colour, honeysuckle scent<br>deodorising urinal screen - blue colour, cotton bloom scent<br>mounting frame for ceramic urinals with built-in flush or for ceramic washbasins<br>set of 4 pcs. alkaline batteries AA 1,5 V, 2700 mAh (for models with index B) |
|--|--|--|---|
|  |  |  |   |
| SANELA CONTROL APP   |  |  | available for download on the App Store and Play Store  |
| UNITER O   |  |  | available for download on the hpp otore and hay otore   |