


Stainless Steel Automatic Drinking Fountain

SLUN 14EN, 14ENB




Characteristics



- **hygienic flush**
- stainless steel wall hung drinking fountain with automatic infra-red drinking spout
- system reacts to the user's face in front of the sensor
- water stops after user leaving the active range of the sensor
- function of automatic water stop after 5 minutes of continuous flow
- monitoring of battery capacity (SLUN 14ENB)
- START/STOP program
- parameter adjustment using by the remote control SLD 03
- water flow regulation on drinking spout
- material stainless steel AISI 304 (1.4301)
- brushed finish

Dimensions



Technical Specification

Dimensions	350 x 350 x 200 mm
Weight	
SLUN 14EN	2,5 kg
SLUN 14ENB	3,5 kg
Operating voltage	
SLUN 14EN	24 V DC
SLUN 14ENB	6 V
Power input	
SLUN 14EN	7 W
SLUN 14ENB	3 W
Battery life	
▪ 4 pcs. AA alkaline batteries	approx. 2 years
AA, 1,5 V, 2700 mAh	(100 uses per day)
Active range	0,23 - 0,31 m
Recommended flow pressure	0,1 - 0,6 MPa
Rate of flow	1,4 l/min. (inf. data)
Water inlet	male thread G 1/2"

Supply Specification

SLUN 14EN - Supply No. 93145	stainless steel drinking fountain, drinking spout with electronics, electromagnetic valve (1 pc.), angle valve with filter (1 pc.), connecting hoses, siphon, mounting set,
SLUN 14ENB - Supply No. 93146	4 pcs. AA alkaline batteries 1,5 V, 2700 mAh (SLUN 14ENB)

Recommended Accessories

SLZ 01Y - Supply No. 05012	power supply 24 V DC for operating of max. 5 pcs. of spouts
SLZ 01Z - Supply No. 05011	power supply 24 V DC for operating of max. 9 pcs. of spouts
SLZ 04Y - Supply No. 05042	power supply 24 V DC for DIN rail, for operating of max. 5 pcs. of spouts
SLZ 04Z - Supply No. 05041	power supply 24 V DC for DIN rail, for operating of max. 9 pcs. of spouts
SLZ 04X - Supply No. 10049	power supply 24 V DC for DIN rail, for operating of max. 15 pcs. of spouts
SLD 03 - Supply No. 07030	remote control for an adjustment of parameters
SLA 36 - Supply No. 06360	set of 4 pcs. alkaline batteries AA, 1,5 V, 2700 mAh (for models with index B)