RFID door lock system SLZA 30A, SLZA 30AZ








SLZA 30A


Characteristics

- stainless steel RFID door lock system (12 V)
- for door opening with token
- model with index A on the wall
- model with index AZ recessed
- material AISI 304
- brushed finish

Dimensions



SLZA 30A



SLZA 30AZ

Technical Specification

Stainless steel cover dimensions (SLZA 30AZ) Plastic mounting box dimensions (SLZA 30AZ) **Dimensions (SLZA 30A)** Operating voltage Power input

170 x 170 x 10 mm

140 x 140 x 75 mm 96 x 74 x 51 mm 24 V DC 7 W

- 1 display
- 2 RFID active range
- 3 stainless steel case with plastic sideboards
- 1 display
- 2 RFID active range
- 3 power supply 24 V DC
- 4 stainless steel cover with electronics
- 5 plastic mounting box

Supply Specification

SLZA 30A - Supply No. 89303 stainless steel station with display

SLZA 30AZ - Supply No. 89304 stainless steel cover with display, plastic mounting box

Recommended Accessories

SI 7 01Y -**Supply No. 05012 Supply No. 05011 SLZ 01Z** SLZ 04Y

SLZ 04Z SLZ 04X

SLZA 54A -

Supply No. 05042 Supply No. 05041

Supply No. 88541

Supply No. 10049 Supply No. 89300

SLZA 30 Supply No. 88510 SLZA 51

SLZA 51B -**Supply No. 88511** SLZA 51R -**Supply No. 88512 Supply No. 88540** SLZA 54 -

power supply 24 V DC for operating of max. 5 pcs. door lock systems

power supply 24 V DC for operating of max. 9 pcs. door lock systems power supply 24 V DC for DIN rail, for operating of max. 5 pcs. door lock systems

power supply 24 V DC for DIN rail, for operating of max. 9 pcs. door lock systems power supply 24 V DC for DIN rail, for operating of max. 15 pcs. door lock systems

programming station for RFID tokens

set of 50 pcs. of plastic RFID tokens for token machines, yellow color set of 50 pcs. of plastic RFID tokens for token machines, blue color set of 50 pcs. of plastic RFID tokens for token machines, red color

protective cover above the recessed machines protective cover above the wall-mounted machines